

## MATERIAL SAFETY DATA SHEET

### ClariFly Larvicide 0.04%

**Manufacturer:** Wellmark International  
**Address:** 1501 East Woodfield Road, Suite 200 West, Schaumburg, IL 60173  
**Emergency Phone:** 1-888-914-2082  
**Transportation Emergency Phone:** CHEMTREC: 1-800-424-9300

#### 1. CHEMICAL PRODUCT INFORMATION

**Product Name:** ClariFly Larvicide 0.04%  
**Chemical Name/Synonym:** Diflubenzuron: 1-[4-chlorophenyl]-3-[2,6-difluorobenzoyl] urea.  
**Chemical Family:** Benzoylurea.  
**Formula:** C<sub>14</sub>H<sub>9</sub>ClF<sub>2</sub>N<sub>2</sub>O<sub>2</sub>.  
**EPA Registration No.:** 2724-795.  
**RF Number:**

#### 2. COMPOSITION/INFORMATION ON INGREDIENTS

<u>Component (chemical, common name)</u>	<u>CAS Number</u>	<u>Weight</u>	<u>Tolerance</u>
Diflubenzuron 1-[4-chlorophenyl]-3-[2,6-difluorobenzoyl]urea	35367-38-5	0.04%	ND
Other ingredients (non-hazardous and/or trade secret)	Mix	99.96%	ND

#### 3. HAZARD INFORMATION

**PRECAUTIONARY STATEMENTS**  
**KEEP OUT OF THE REACH OF CHILDREN**  
**HAZARDS TO HUMANS AND DOMESTIC ANIMALS**  
**CAUTION**  
**HARMFUL IF ABSORBED THROUGH THE SKIN. CAUSES MODERATE EYE IRRITATION. AVOID CONTACT WITH SKIN, EYES, OR CLOTHING. PROLONGED OR FREQUENT REPEATED SKIN CONTACT MAY CAUSE ALLERGIC REACTIONS IN SOME INDIVIDUALS.**  
**WASH THOROUGHLY WITH SOAP AND WATER AFTER HANDLING AND BEFORE EATING, DRINKING, CHEWING GUM, OR USING TOBACCO. REMOVE AND WASH CLOTHING BEFORE REUSE.**

#### SIGNS AND SYMPTOMS OF OVEREXPOSURE

Excessive overexposure to active ingredient may cause methemoglobinemia.

**PRIMARY ROUTE OF ENTRY**    Dermal/Eye: Yes                    Oral: No                    Inhalation: No

**ACUTE TOXICITY**                    Oral:    No specific hazard identified.  
   Dermal:    No specific hazard identified.

ClariFly Larvicide 0.04%

**Inhalation:** No specific hazard identified.

## OTHER TOXICOLOGICAL INFORMATION

**Skin Irritation:** Causes irritation.

**Eye Irritation:** Causes moderate eye irritation.

**Sensitizer:** May cause allergic reactions.

## 4. FIRST AID MEASURES

**If in eyes:**

- Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eyes.
- Call a poison control center or doctor for treatment advice.

**If on Skin:**

- Take off contaminated clothing.
- Rinse skin immediately with plenty of water for 15-20 minutes.
- Call a poison control center or doctor for treatment advice.

## 5. FIRE FIGHTING MEASURES

**NFPA Rating:**    **Health: 2**                      **Fire: 1**                      **Reactivity: 0**

**Flammability Class:** Varies depends on animal feeds.

**Flash Point:** Not applicable.

**Explosive Limits (% of Volume):** Not established.

**Extinguishing Media:** Water fog, dry chemical, foam or CO<sub>2</sub>.

**Special Protective Equipment:** Firefighters should wear full protective clothing including self contained breathing apparatus.

**Fire Fighting Procedures:** Normal procedures. Do not allow fire fighting water to escape into waterways or sewers.

**Combustion Products:** Oxides of carbon and nitrogen, irritating fumes, chlorine gas.

**Unusual Fire/Explosion Hazards:** None known.

## 6. ACCIDENTAL RELEASE MEASURES

**Steps to be taken:** Sweep up material and place in suitable disposal container. All clean up and disposal should be carried out in accordance with federal, state and local regulations. If required, state and local authorities should be notified.

**Absorbents:** None necessary due to product form.

**Incompatibles:** Avoid strong acids, strong bases, and oxidizing agents. Can become corrosive to metals when wet.

## 7. HANDLING AND STORAGE

**Handling:** Avoid contact with skin, eyes or clothing. Avoid breathing dust. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco. Remove and wash clothing before reuse.

**Storage:** Store in a cool dry place away from other pesticides, food and feed.

## 8. EXPOSURE CONTROL/PERSONAL MEASURES

- Exposure Limits:** Not established.
- Ventilation:** Use adequate ventilation to control airborne dust concentrations.
- Personal Protective Equipment:** If airborne dust is present, use appropriate respiratory protection. Use chemical resistant gloves, safety glasses and protective clothing to prevent eye and skin contact.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

- Appearance and Odor:** Varies depends on animal feeds.
- Boiling Point:** N/A
- Melting Point:** N/A
- Vapor Pressure (mm Hg):** N/A
- Vapor Density (Air = 1):** N/A
- Specific Gravity:** N/A
- Bulk Density:** N/A
- Solubility:** N/A
- Evaporation Rate:** N/A
- pH:** N/A

## 10. STABILITY AND REACTIVITY

- Stability:** Stable under normal storage and handling conditions.
- Reactivity:** Not reactive.
- Incompatibility w/ Other Materials:** Avoid strong acids, strong bases, and oxidizing agents. Becomes corrosive with metals when wet.
- Decomposition Products:** May evolve chlorine gas when in contact with strong acids. Other hazardous decomposition products are: oxides of carbon and nitrogen; irritating fumes.
- Hazardous Polymerization:** Will not occur.

## 11. TOXICOLOGICAL INFORMATION

### **ACUTE TOXICITY [Specific to Active Ingredient]: Diflubenzuron**

Acute oral toxicity: LD50 >4640 mg/kg (rat).  
Acute dermal toxicity: LD50 >2000 mg/kg (rabbit).  
Acute inhalation: LC50 (6 hr) >2.88 mg/L (rat)  
Skin irritation: Moderate irritation  
Eye irritation: Slight irritation  
Not a dermal sensitizer

### **CHRONIC TOXICITY [Specific to Active Ingredient] Diflubenzuron**

In a 104-week rat chronic feeding study technical grade diflubenzuron was administered in the diet to rats at dose from 0.35 to 7.05 mg/kg/day. The NOEL for methemoglobinemia in this study was 1.43 mg/kg/day in males and 1.73 mg/kg/day in females.  
Diflubenzuron was not a carcinogen in rats and mice.

**DEVELOPMENTAL/REPRODUCTIVE TOXICITY [Specific to Active Ingredient(s)] Diflubenzuron**

In developmental studies in rats and rabbits the NOEL for maternal was 1,000 mg/kg/day and the NOEL for developmental toxicity was greater than 1,000 mg/kg/day.

In a 2-generation reproduction a NOEL for paternal adults was not established. The LEL was 25 mg/kg/day, based on methemoglobinemia, hemolytic anemia, destruction of erythrocytes, and pathological changes in the spleen and liver. The NOEL for reproductive performance in parental adults was 2500 mg/kg/day. The NOEL for developmental toxicity in progeny was 250 mg/kg/day and the LEL was 2500 mg/kg/day, based on decreased body weights in F1 pups from birth to 21 days postpartum.

**MUTAGENICITY [Specific to Active Ingredient(s)] Diflubenzuron**

Mutagenicity was negative in the Salmonella/mammalian microsome plate incorporation assay; an in vitro chromosome aberration assay in Chinese hamster ovary (CHO) cells; and an unscheduled DNA synthesis (UDS) assay in primary rat hepatocytes.

**12. ECOLOGICAL INFORMATION**

**ECOTOXICITY [Active Ingredients Only]**

**Acute Toxicity:** **Fish:** LC50 >106.4 mg/L (rainbow trout); LC50 >64.8 mg/L (zebra fish).  
**Aquatic invertebrates:** LC50 = 0.0026 mg/L (Daphnia magna); **Plants:** IC50 >80 mg/L (Selenastrim capricornutum).

**13. DISPOSAL CONSIDERATIONS**

Wastes resulting from use of this product should be disposed of in accordance with all federal, state and local requirements. For additional regulatory information, see section 15 of this document.

**14. TRANSPORT INFORMATION**

**DOT49CFR Description:** Not Regulated.  
**Freight Classification:** Insecticides NOI non-hazardous.

**15. REGULATORY INFORMATION**

**CERCLA (Superfund):** Not regulated.  
**RCRA:** Not regulated.

**SARA 311/312 HAZARD CATEGORIES**

**Immediate Health:** Yes  
**Delayed Health:** No  
**Fire:** No  
**Sudden Pressure:** No  
**Reactivity:** No

*The information presented herein, while not guaranteed, was prepared by technically knowledgeable personnel and to the best of our knowledge is true and accurate. It is not intended to be all inclusive and the manner and conditions of use and handling may involve other or additional considerations.*